

A1



A10

5~15mm

	6%,	600*600mm	

1.700kg/m²/mm

= 1:0.25 0.02

•

<8mm/2m

•

3-5

15~30

1

•

(

)

,

1

(

),

2mm

60

Q/DXHSJ0004-2018

A2



A2

0.2%

GEV

EMICODE

EC1^{PLUS}

TVOC

(mm)

kg/m²

□ □

A3



A3

GEV

EMICODE

EC1^{PLUS}

TVOC

	800mm 800mm

(mm)	kg/m ²
12 12	7.0~10.0

=1:0.25 0.02

•

<3mm/2m

•

3-5

15~30

2

•

1

5 ~35

2mm

60

JC/T547-2017

C1T

1	A3		20kg

A4



A4

GEV

EMICODE

EC1PLUS

TVOC

	0.2%	800mm 800mm		0.2%	300mm 300mm
	<0.2%	300mm 600mm		<0.2%	100mm 200mm

	(mm)	kg/m ²
15cm 15cm		3.5
15cm 15cm 30cm 30cm		5.0
30cm 30cm		7.0~10.0

=1:0.25 0.02

-

<3mm/2m

-

3-5

15~30

2

-

(

)

,

1 ,



5 ~35

2mm

60

JC/T547-2017

C2

1	A4		20kg

A5



A5

14

F

	80
--	----

3mm

1.5-1.9Kg/m²

5mm

2.0-2.5Kg/m²

•

•

Tile Ace Pro

•



1

5 35

5

/

PE,PP

JC/T 547-2017

R2T

1	A5		2kg

A10



A100

3%

	6%,	600*600mm	

:

	(mm)	kg/m ²
15cm 15cm		3.5
15cm 15cm 30cm 30cm		5.0
30cm 30cm		7.0~10.0

=1:0.25 0.02

•

<3mm/2m

•

3-5

15~30

2

•

(

)

1

□ □

5 ~35

2mm

60

Q/DXHSJ0004-2018

1	A10		20kg

A20

A20

0.2% ,

	>3%	600 600mm		>3%	300 300mm
	0.2~3%)	300 600mm		0.2~3%)	100 200mm

	(mm)	kg/m ²
15cm 15cm		3.5
15cm 15cm 30cm 30cm		5.0
30cm 30cm		7.0~10.0

=1:0.25 0.02

-

<3mm/2m

-

3-5

15~30

2

-

(

)

,

1 ,

A100



A100

3%

	3%	600mm 600mm		3%	300mm 300mm

=1:0.25 0.02

-

<3mm/2m

-

3-5

15~30

2

-

(

)

,

1

,

□ □

5 ~35

2mm

60

GB/T25181-2010

1	A100		25kg

A200



A200

0.2% ,

GEV

EMICODE

EC1^{PLUS}

TVOC

--	--

	>3%	600 600mm		>3%	300 300mm
	0.2~3%)	300 600mm		0.2~3%)	100 200mm

	(mm)	kg/m ²
15cm 15cm		3.5
15cm 15cm 30cm 30cm		5.0
30cm 30cm		7.0~10.0

=1:0.25 0.02

-

<3mm/2m

-

3-5

15~30

2

-

(

)

1

□ □

5 ~35

2mm

60

JC/T547-2017

C1

1	A200		25kg